Aplication Efficiency: Other Truck Crops 2001 Other truck crops consider carrots, cauliflower, broccoli, strawberries, asparagus, etc. Table 1 - Application Efficiencies for different Irrigation Systems Application Efficiency (AE) is a performan-Application Efficiencies (%) ce criterion that expresses how well an irriga-Irrigation System High tion system executes when is operated to de-Surface Irrigation HR 01=56.4 Wild Flood liver a specific amount of water. AE express-Border 73 es how well an irrigation system can potential-Basin 83 ly distributes the water across the field. AE is Furrow 73 the ratio of average water depth applied and Surface - Sprinkler Side-Roll Surface - Sprinkler Hand- Mov target water depth during an irrigation event Sprinkler (Burt et al.1997). The lower quartile depth Permanent was considered as the target water depth. Hand-Move 60 73 70 82 Linear-Move Side-Roll Table 1 shows the AE values used for different Micro-Mini irrigation systems (Canessa et al. 2011). Re-Center - Pivo gional AE estimates in Table 2 were esti-Drip mated using a weighted average of AE and 95 Above ground irrigation system's crop acreage for each Buried drip region (Tindula et al. 2013). The main assu-Table 2 - Application Efficiency Estimates mptions is that every farmer provided the lo-HR 05=70.3 Application Efficiency (%) Low Mean High wer quartile depth during each irrigation event to meet crop water requirements. North Coast San Francisco Bay 56.4 77.1 68.6 Central Coast South Coast 73.3 75 A correction for water losses may applied for irrigation systems of Sprinkler and sur-Sacramento River San Joaquin River 70.3 74 59 4 81 3 face irrigation (Rogers et al. 1997). 63.7 75.4 50 Tulare Lake Read Sandoval-Solis et al. (2013) for a North Lahontan 50 thorough description of the assumption South Lahontan Colo<u>rado</u> River and values provided in this map. Note. -99 values mean not data available The AE provided in this map are intended to be used for water planning and management estimates at medium to large scale regions. Local and field AE values may vary from those displayed here due to individual irrigation practices HR 06=74 HR 07=75.4 High: 90 HR 09=73.1 Low: 50 100 Miles 100 120 140 160 Kilometers HR 10=71 UC Davis Water Management Research Group http://watermanagement.ucdavis.edu Developed as a cooperative project between University of California, Davis United States Geological Survey and California Department of Water Resources Map prepared by P.I.: Samuel Sandoval Solis, Ph.D. © 2013.